

ENERGY STAR Ceiling Fans with Light Kits Product List

List Posted on May 24, 2010

Product Type	Manu- facturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Effic- iency (CFM/ Watt) - Low	Effic- iency (CFM/ Watt) - Medium	Effic- iency (CFM/ Watt) - High	Type of Light- ing	Total Input (Watts)	Motor Warranty (Years)	Compo- nents Warranty (Years)	Lamp Color Render- ing Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maint- enance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Aloha Housewar es Inc.	Alohabre eze	72300	72300		161.75	117.53	89.43		12.77	30	1	81.98	10000	82.82	
Ceiling Fan with Light Kit - Pin Based CFLs	Aloha Housewar es Inc.	Alohabre eze	73900	73900		159.32	114.94	85		12.77	30	1	81.98	10000	82.82	
Ceiling Fan with Light Kit - Pin Based CFLs	Aloha Housewar es Inc.	Alohabre eze	73901	73901		159.32	114.94	85		12.77	30	1	81.98	10000	82.82	
Ceiling Fan with Light Kit - Pin Based CFLs	Aloha Housewar es Inc.	Alohabre eze	74519	74519		159.32	114.94	85		12.77	30	1	81.98	10000	82.82	
Ceiling Fan with Light Kit - Pin Based CFLs	Aloha Housewar es Inc.	Alohabre eze	97003	97003		161.75	117.53	89.43		12.77	30	1	81.98	10000	82.82	
Ceiling Fan with Light Kit - Pin Based CFLs	Aloha Housewar es Inc.	Alohabre eze	97903	97903		161.75	117.53	89.43		12.77	30	1	81.98	10000	82.82	

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Concord Fans	Concord Fans & Lighting		52SAT5 BK		167	126.62	94.51		26	30	2		10000		10/30/09
Ceiling Fan with Light Kit - Pin Based CFLs	Concord Fans	Concord Fans & Lighting		52SAT5 SN		167	126.62	94.51		26	30	2		10000		10/30/09
Ceiling Fan with Light Kit - Pin Based CFLs	Concord Fans	Concord Fans & Lighting		52SAT5 WH		167	126.62	94.51		26	30	2		10000		10/30/09
Ceiling Fan with Light Kit - Pin Based CFLs	Craftmade International, Inc.	Craftmade		CDU207		155.75	109.44	78.34		13.82	30	1		10000	91.84	3/31/10
Ceiling Fan with Light Kit - Pin Based CFLs	Craftmade International, Inc.	Craftmade		CDU208		160.97	107.32	87.36		13.82	30	1		10000	91.84	3/31/10
Ceiling Fan with Light Kit - Pin Based CFLs	Craftmade International, Inc.	Craftmade		KI52		163.2	138.36	95.56		12.77	30	1		10000	90.14	3/31/10

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Craftmade International, Inc.	Craftmade		MD56 (DCVM)		163.76	126.17	85.20		12.77	30	1		10000	90.14	3/31/10
Ceiling Fan with Light Kit - Pin Based CFLs	Emerson Electric Company	Emerson	Midway Eco	CF955BS		620.2	476.6	289.0		14.472	Lifetime	1	81.1	10000	82.2	3/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Emerson Electric Company	Emerson	Midway Eco	CF955ORB		620.2	476.6	289.0		14.472	Lifetime	1	81.1	10000	82.2	3/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Emerson Electric Company	Emerson	Midway Eco	CF955WW		620.2	476.6	289.0		14.472	Lifetime	1	81.1	10000	82.2	3/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Fanimation Inc.	Fanimation	Mariano	FP7930 PWW		206	152	108		13.86			82.26	10000	92.29	1/27/10
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Cedonia (Canada)	27475		177	121	76		12.9	Lifetime	1	82.97	10000	84.69	6/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Cedonia (Canada )	27477		177	121	76		12.9	Lifetime	1	82.97	10000	84.69	6/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Moderna II	27586		155	103	76		20.2	Lifetime	1	81.86	10000	82.64	2/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Palermo	21627		155	112	77		22.1	Lifetime	1	84.62	10000	82.9	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Palermo	21628		155	112	77		22.1	Lifetime	1	84.62	10000	82.9	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Palermo (Canada )	27617		155	112	77		22.1	Lifetime	1	84.62	10000	82.9	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Park Hill	20578		175.55	112.13	83.42			Lifetime	1		10000		1/19/10

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Pro Best	28462		155	107	77		24.9	Lifetime	1	81.41	10000	82.15	6/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Pro's Best	28459		155	107	77		24.9	Lifetime	1	81.41	10000	82.15	6/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Pro's Best	28460		155	107	77		24.9	Lifetime	1	81.41	10000	82.15	6/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Pro's Best	28439		155	107	77		24.9	Lifetime	1	81.41	10000	82.15	6/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Sonic	21585		155	103	84		20.2	Lifetime	1	81.86	10000	82.64	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Sonic	21591		161	117	82		20.2	Lifetime	1	81.86	10000	82.64	8/31/09

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Sonora	21335		165	116	75		24.9	Life time	2	81.41	10000	82.15	10/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Sonora	21433		165	116	75		24.9	Life time	2	81.41	10000	82.15	10/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Sonora	21434		165	116	75		24.9	Life time	2	81.41	10000	82.15	10/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Westside 52"	21620		156	111	76		22.1	Lifetime	1	84.62			12/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter	Westside II	21621		156	112	75		22.1	Lifetime	1	84.62	10000	82.9	12/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter Fan Company	Palermo - Brushed Nickel	21617		156	111	76		22.1	50	1	84.62	10000	82.9	11/1/02

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter Fan Company	Polermo (Brushed Bronze)	21618		156	111	76		22.1	50	1	84.62	10000	82.9	11/1/02
Ceiling Fan with Light Kit - Pin Based CFLs	Hunter Fan Company	Hunter Fan Company		27590		194.9	116.15	79.45		22.1	Lifetime	1	84.62	10000	82.9	3/14/10
Ceiling Fan with Light Kit - Pin Based CFLs	Kichler Lighting	Kichler Lighting		CP1299 47		188.15	117.86	82.4		18	30	1		10000	90	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	Kichler Lighting	Kichler Lighting		CP1299 47		188.15	117.86	82.4		18	30	1		10000		11/30/09
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Brighton	F50002 BN		173.02	132.15	90.68		26.5	Lifetime	1	85.43	10000	80	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Brighton	F50003 ORB		173.02	132.15	90.68		26.5	Lifetime	1	85.43	10000	80	8/31/09

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Contemp ra	F50006 ORB		165.75	122.11	92.96		26.5	Lifetime	1	85.43	10000	80	8/31/09
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Futura	61415	404-013	163.34	116.29	92.94		13.46	Lifetime	1	82	10000	85	1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Futura	61615	404-013	163.34	116.29	92.94		13.46	Lifetime	1	82	10000	85	1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Futura	68415	404-013	163.34	116.29	92.94		13.46	Lifetime	1	82	10000	85	1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Excel	Quantum	61020		179.36	128.82	90.97		26.5	Lifetime	1	85.43	10000	80	
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Hampton Bay	54-CVT	54" Covington		179.36	128.82	90.97		26.5	Lifetime	1	85.43	10000	80	



Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Hampton Bay	Callaway II Tex	46055		177	144	113		14.33	Lifetime	2 years	80	10000	85	3/1/04
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Hampton Bay	Lazerro	28206	404-013	169.49	117.75	84.94		13.46	Lifetime	1	82	10000	85	1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Hampton Bay	Windward (Br. Steel)	55295	Home Depot: 523-127	161.07	136.7	106.3	Circline	28.6	Lifetime	Electrical components - 2	85.43			5/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Hampton Bay	Windward III	55156		192	149.1	114.5		12.89	Lifetime	2 years on electrical components	81	10000	84.5	4/1/05
Ceiling Fan with Light Kit - Pin Based CFLs	King of Fans	Hampton Bay	Windward (White. Steel)	55296	Home Depot: 523-342	161.07	136.7	106.3	Circline	28.6	Lifetime	Electrical components - 2	85.43			5/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 AB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 BK		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 BP		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 HS		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 OB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 PB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 51 WH		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-3LA B		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-3LB K		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-3LB P		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-3LH S		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-3LO B		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-3LW H		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-SAB		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-SBK		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-SBP		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-SHS		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-SOB		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 52-SWH		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 AB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 BK		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 BP		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 HS		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 OB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 PB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	King One Products, Co.	King One Products, Co.	52" Builder	CF-852 57 WH		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Hampton Bay	Bercello Estates II	34914		158.38	119.85	89.04		13.90	Limited Lifetime	1	83.04	10020	92.055	6/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Minka Aire	Riva	F586-B N		158.52	112.41	82.9		28.944	Lifetime	1	81.1	10000	82.2	10/29/09
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Minka Aire	Riva	F586-C BR		158.52	112.41	82.9		28.944	Lifetime	1	81.1	10000	82.2	10/29/09
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Minka Aire	Riva	F586-D RB		158.52	112.41	82.9		28.944	Lifetime	1	81.1	10000	82.2	10/29/09
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Minka Aire	Zen	F514-B N		159.81	112.64	83.2		28.944	Lifetime	1	81.1	10000	82.2	10/29/09

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Minka Aire	Zen	F514-ORB		159.81	112.64	83.2		28.944	Lifetime	1	81.1	10000	82.2	10/29/09
Ceiling Fan with Light Kit - Pin Based CFLs	Minka Group	Minka Aire	Zen	F514-WH		159.81	112.64	83.2		28.944	Lifetime	1	81.1	10000	82.2	10/29/09
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo	Lunar	3LRRTID+LRB52TI		168.06	117.06	86.87		18	Lifetime	1	2700	10020	84.9	3/25/10
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo	Lunar	3LRRWHD+LRB52WH		168.06	117.06	86.87		18	Lifetime	1	2700	10020	84.9	3/25/10
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Quality Max Plus	5QM52BPD		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Quality Max Plus	5QM52BSD		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Quality Max Plus	5QM52 RBD		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Quality Max Plus	5QM52 WHD		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Sleek	5SLR52 BSD-B		176.23	123.52	92.46		36.4	Lifetime	1	82.81	10000	81.48	3/21/09
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Sleek	5SLR52 RBD-B		176.23	123.52	92.46		36.4	Lifetime	1	82.81	10000	81.48	3/21/09
Ceiling Fan with Light Kit - Pin Based CFLs	Monte Carlo Fan Company	Monte Carlo Fans	Sleek	5SLR52 WHD-B		176.23	123.52	92.46		36.4	Lifetime	1	82.81	10000	81.48	3/21/09
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 AB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08



Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 BK		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 BP		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 HS		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 OB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 PB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Atlantic	1057 WH		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-AB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-BK		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-BP		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-HS		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-OB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-PB		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Caribbean	1051L-WH		211.74	131.74	93.66		24.33	30	1	82.6	10020	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star II	1052-S AB		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star II	1052-S BK		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star II	1052-S BP		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star II	1052-S HS		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star II	1052-S OB		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star II	1052-S WH		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star III	1052-3 HAB		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star III	1052-3 HBK		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star III	1052-3 HBP		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star III	1052-3 HHS		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star III	1052-3 HOB		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Royal Pacific Ltd.	Royal Pacific	Royal Star III	1052-3 HWH		211.74	131.74	93.66		24.33	30	1	82.6	10000	91.27	8/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-02		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-07		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-15		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-191		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-71		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-782		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-814		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-829		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-853		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-862		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-892		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-893		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-962		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Monte Carlo	Quality Max Plus	15030B LE-965		157.16	118.66	92.25		12.89	Lifetime	1	81	10000	94.9	5/1/09
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting	15075BLE	15075BLE-07		164.62	120.26	90.98		36.4	Lifetime	2	82.81	10000	81.48	12/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting	15075BLE	15075BLE-15		164.62	120.26	90.98		36.4	Lifetime	2	82.81	10000	81.48	12/1/08
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting	15090BLE	15090BLE-15		163.86	115.18	85.19		36.4	Lifetime	2	82.81	10000	81.48	11/2/08

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting	15090BLE	15090BLE-71		163.86	115.18	85.19		36.4	Lifetime	2	82.81	10000	81.48	11/2/08
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting	15090BLE	15090BLE-802		163.86	115.18	85.19		36.4	Lifetime	2	82.81	10000	81.48	11/2/08
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting	15090BLE	15090BLE-962		163.86	115.18	85.19		36.4	Lifetime	2	82.81	10000	81.48	11/2/08
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting		1575BLE-07		164.62	120.26	90.98	CR	38.4	lifetime	1	83.25			10/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting		1575BLE-15		164.62	120.26	90.98	CR	38.4	Lifetime	1	83.25			10/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting		1590BLE-15		166.06	123.36	90.69	Circline	38.4	Lifetime	Fan components (except bulbs): 1 year warranty	83.25			10/1/03



Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting		1590BLE-71		166.06	123.36	90.69	Circline	38.4	Lifetime	Fan components (except bulbs): 1 year warranty	83.25			10/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting		1590BLE-802		166.06	123.36	90.69	Circline	38.4	Lifetime	Fan components (except bulbs): 1 year warranty	83.25			10/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	Sea Gull Lighting Products LLC	Sea Gull Lighting		1590BLE-962		166.06	123.36	90.69	Circline	38.4	Lifetime	Fan components (except bulbs): 1 year warranty	83.25			10/1/03
Ceiling Fan with Light Kit - Pin Based CFLs	Westinghouse Lighting Corporation	Westinghouse	Autumn Breeze ES	78037		157.68	122.74	82.93		12.28	Lifetime	Lifetime	81.97			1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	Westinghouse Lighting Corporation	Westinghouse	Silverdale ES	72200		160.82	116.00	76.06		12.28	Lifetime	1	81.97			1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	Westinghouse Lighting Corporation	Westinghouse	Silverdale ES	72316		160.82	116.00	76.06		12.28	Lifetime	1	81.97			1/1/07

Product Type	Manufacturer Name	Brand Name	Model Name	Model Number	Retailer/ SKU Number	Efficiency (CFM/ Watt) - Low	Efficiency (CFM/ Watt) - Medium	Efficiency (CFM/ Watt) - High	Type of Lighting	Total Input (Watts)	Motor Warranty (Years)	Components Warranty (Years)	Lamp Color Rendering Index (CRI)	Lamp Life (Rated Avg. Hours)	Lumen Maintenance	Date Available on Market
Ceiling Fan with Light Kit - Pin Based CFLs	Westinghouse Lighting Corporation	Westinghouse	Silverdale ES	72326		160.82	116.00	76.06		12.28	Lifetime	1	81.97			1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	Westinghouse Lighting Corporation	Westinghouse	Silverdale ES	72327		160.82	116.00	76.06		12.28	Lifetime	1	81.97			1/1/07
Ceiling Fan with Light Kit - Pin Based CFLs	Westinghouse Lighting Corporation	Westinghouse	Symphony Hall ES	72350		155.49	120.36	80.33		24.93	Lifetime	2	81.37	10000	88.54	8/31/09

Key Efficiency Criteria		
Air Flow Efficiency Requirement		
Fan Speed	Efficiency Requirement	
Low	155 CFM/Watt	
Medium	100 CFM/Watt	
High	75 CFM/Watt	
<b>Note:</b>		
Qualifying ceiling fan models must come with a minimum 30-year motor warranty; one-year component(s) warranty; and 2-year light kits warranty.		
Residential ceiling fan airflow efficiency is defined on a performance basis: CFM of airflow per watt of power consumed by the motor and controls. The motor, blades, and controls are treated as a system, which allows for multiple approaches to reach a given efficiency level. Efficiency is measured on each of three fan speeds (low, medium, high) and must meet the minimum requirements outlined in the table above.		
Performance Characteristic	Specification Indoor Fixtures	
<b>System Efficacy*</b> <b>Per Lamp Ballast Platform in Lumens Per Watt (LPW)</b>	≥ 50 LPW for all lamp types below 30 total listed lamp watts	
	≥ 60 LPW for all lamp types that are ≤ 24 inches and ≥ 30 total listed lamp watts	
	≥ 70 LPW for all lamp types that are > 24 inches and ≥ 30 total listed lamp watts	
<b>Lumen Maintenance at 40% of Rated Life</b>	>80%	
<b>Average Rated Lamp Life</b>	> 10,000 hours.	
<b>Color Rendering Index</b>	≥ 80	
<b>Notes:</b>		
* Take performance and electrical measurements at the end of the 100-hour aging period according to ANSI C78.5. The lamp efficacy shall be the average of the total sample size for each testing orientation selected for the submittal. Use wattages places on packaging, not measured wattage, to select proper efficacy category in this table.		
Efficacies are based on measured values for lumens and wattages from pertinent test data. Wattages and lumens placed on packages may not be used in calculation and are not governed by this criterion.		